

## HA-Tag mAb (1B10), FITC Conjugated

<b>Catalog No.</b>	IBY0070
<b>Reactivity</b>	Species independent
<b>Applications</b>	WB; IP; IF/ICC
<b>Alternative Names</b>	HA epitope tag; HA Tag; hemagglutinin
<b>Formulation</b>	Liquid in PBS containing 50% glycerol, 0.5% BSA and 0.07% sodium azide.
<b>Source</b>	Mouse
<b>Dilution</b>	WB: 1:3000; IP: 1:200; IF: 1:1000
<b>Purification</b>	The antibody was affinity-purified from mouse ascites by affinity-chromatography using specific immunogen.
<b>Concentration</b>	1 mg/ml
<b>Storage&amp;Stability</b>	Store at 4 °C short term. Aliquot and store at -20 °C long term. Avoid freeze-thaw cycles.
<b>Subcellular Location</b>	-
<b>MW</b>	N/A
<b>Background</b>	Human influenza hemagglutinin (HA) is a surface glycoprotein required for the infectivity of the human virus. The HA tag is derived from the HA-molecule corresponding to amino acids 98-107 has been extensively used as a general epitope tag in expression vectors. Many recombinant proteins have been engineered to express the HA tag, which does not appear to interfere with the bioactivity or the biodistribution of the recombinant protein.
<b>Swiss-Prot</b>	N/A

### Products Images:



The sample is a over-expressed HA-tagged protein